

Comparison of Soil Residual Herbicides

Trial Number: UW-2018-WC-2 Lancaster/Preliminary data (August 2018), not for publication

Daniel H. Smith, Southwest Regional Specialist and **Richard Proost**, Southeast Agronomist, Nutrient and Pest Management Program;
Rodrigo Werle, Weed Science Extension Specialist, Department of Agronomy, University of Wisconsin-Madison and UW-Extension

The authors would like to acknowledge Lancaster ARS staff and Wisconsin Cropping Systems Weed Science (WiscWeeds) Team: Maxwel Oliveira, Victor Ribeiro, Sarah Striegel, Nikola Arsenijevic and Ryan DeWerff.

Site description

Soil type: Fayette

Crop: Soybean

% OM: 2.4

Variety: Asgrow AG21X8

pH: 7.3

Date planted: 5/24/2018

Fertilization: None

Planting depth: 1.5 in

Row spacing: 30 in

Plot size: 10 x 25 ft

Planting population: 145,000

Previous cropping and tillage: Corn;

fall chisel- 2 pass spring vertical tillage

Main weeds present: Waterhemp,

common lambsquarters

Other pesticides used: None

Experimental design and statistical analysis:

4 reps, randomized complete block

Herbicide application information

Date treated: 5-25-18

Treatment: PRE

Soil moisture (surface): Dry

Soil temperature at 2 inch depth (°F) : 70°

Air temperature (°F): 78°

Weed speed (mph)/direction: 1-3/NW

Relative humidity: 67%

Cloud cover: 40%

Application equipment: CO₂ backpack sprayer,

GPA: 15, PSI: 26, MPH: 3, nozzle tips: XR11002,

spacing: 20 in, height: 20 in, application width: 6.67 ft

Always Read, Follow and Understand the Pesticide Label. **The Label is the Law.** Information presented does not constitute a recommendation or endorsement.

Preliminary Weed Control Ratings from the Lancaster ARS Trial Site

Trt #	Plot	Herbicide and application rate (ac ⁻¹)	WATERHEMP		COMMON LAMBSQUARTERS		Price Estimate
			V3 (25 DAT)	R2 (50 DAT)	V3 (25 DAT)	R2 (50 DAT)	
		Soybean growth stage (days after treatment)					
			Greater than 91% is considered acceptable. Average % control (standard error)				
2	102	Pursuit (4 fl oz)	24 (13)	18 (7)	100 (0)	100 (0)	
3	103	Classic (3 oz)	43 (19)	33 (13)	100 (0)	100 (0)	
4	104	FirstRate (0.6 oz)	13 (8)	6 (4)	100 (0)	100 (0)	
5	105	Tricor DF (10.7 oz)	98 (1)	92 (3)	96 (4)	87 (9)	
6	106	Spartan (8 fl oz)	90 (4)	85 (5)	100 (0)	100 (0)	
7	107	Valor SX (3 oz)	100 (0)	96 (3)	94 (3)	87 (5)	
8	108	Sharpen (1 fl oz)	83 (8)	65 (20)	88 (5)	68 (10)	
9	109	Warrant (24 fl oz)	68 (16)	66 (13)	57 (11)	41 (18)	
10	110	Warrant (48 fl oz)	91 (4)	82 (7)	72 (11)	60 (19)	
11	111	Dual II Magnum (13.4 fl oz)	95 (5)	94 (4)	55 (14)	35 (12)	
12	112	Dual II Magnum (26.7 fl oz)	95 (2)	94 (4)	80 (4)	63 (5)	
13	113	Outlook (9 fl oz)	96 (2)	88 (5)	77 (4)	62 (10)	
14	114	Outlook (18 fl oz)	98 (3)	92 (4)	86 (4)	68 (13)	
15	115	Zidua (1.5 oz)	92 (4)	86 (7)	84 (4)	68 (8)	
16	116	Zidua (3 oz)	100 (0)	98 (1)	87 (2)	76 (4)	
17	117	Authority Assist (10 fl oz)	100 (1)	99 (0)	100 (0)	100 (0)	
18	118	Sonic (6.45 oz)	96 (3)	95 (4)	100 (0)	100 (0)	
19	119	Surveil (3.5 oz)	99 (1)	91 (5)	99 (1)	99 (1)	
20	120	Valor XLT (3 oz)	97 (2)	94 (4)	100 (0)	100 (0)	
21	121	Broadaxe XC (25 fl oz)	97 (4)	95 (4)	100 (0)	100 (0)	
22	122	Authority MTZ (12 oz)	85 (9)	75 (15)	100 (0)	100 (0)	
23	123	Authority Supreme (8 fl oz)	97 (4)	92 (5)	100 (0)	100 (0)	
24	124	Verdict (5 fl oz)	97 (3)	91 (5)	87 (6)	82 (5)	
25	125	Prefix (32 fl oz)	100 (0)	99 (1)	90 (2)	80 (6)	
26	126	Fierce (3.75 oz)	99 (1)	98 (1)	100 (0)	99 (1)	
27	127	Boundary (28.8 fl oz)	100 (0)	73 (22)	92 (3)	83 (4)	
28	128	Canopy DF (2.25 oz)	64 (19)	47 (19)	100 (0)	100 (0)	
29	129	Enlite (2.8 oz)	100 (0)	97 (1)	100 (0)	100 (0)	
30	130	Afforia (2.5 oz)	98 (2)	95 (2)	98 (2)	93 (3)	
31	131	Trivence (6 oz)	96 (2)	91 (4)	100 (0)	99 (1)	
32	132	Zidua PRO (6 fl oz)	99 (1)	93 (6)	99 (1)	99 (2)	
33	133	Fierce XLT (4 oz)	100 (0)	97 (1)	100 (0)	100 (0)	
34	134	Fierce MTZ (3 oz Fierce + 6 oz metribuzin co-pack)	100 (0)	97 (1)	96 (3)	96 (2)	

Trial will be replicated in multiple locations in 2019, and a final data report will be available in the Fall of 2019, complete with statistical analysis. Herbicide rates were based on industry recommended rates; the authors support using maximum labeled rates. Herbicide choices should be based on both herbicide efficacy and price. Length of rotational restrictions should always be considered.

Lancaster Agricultural Research Station (LARS): Field history and weather

Past Field History by:
Doug Wiedenbeck and Tim Wood LARS

Waterhemp was first observed in 2008 at the trial site. According to station records, waterhemp was first seen in a grass waterway approaching from a neighboring CRP field. Waterhemp remained mostly unnoticed until soybeans were planted in 2013. At this point, the population had intensified and has since been an issue; research trials have severely limited management options.

CROP ROTATION AND HERBICIDE USE

Year	Crop	Herbicide Program	Tillage
2013	Soybean	PPI Prowl (1.75 pt/ac) + Pursuit Plus (1.25 qt/ac) POST Managed for research	Field cultivation
2014	Corn	PRE Lumax EZ (3 qt/ac) POST None	Vertical tillage
2015	Corn	Roundup PowerMAX (29 oz/ac)	
2016	Corn	Roundup PowerMAX (29 oz/ac)	No-till, cover crop research
2017	Corn	Lumax EZ (3 qt/ac) POST Roundup PowerMAX (29 oz/ac)	
2018	Soybean	Herbicide evaluation research plots	Fall chisel, 2-pass vertical tillage


Weather Summary

Lancaster, WI Collected By: Rita Riely, LARS

MONTHLY SUMMARIES

Month	Air Temperature (°F)			Rain (in)
	Avg	Avg Low	Avg High	Total
May	64.7	54.7	74.7	6.41
June	69.6	61.5	77.7	6.35
July	67.5	62.0	81.2	9.31

Lancaster Agricultural Research Station Weather Data May 1 - August 13, 2018



Plot image key

Note that some plot photos may be missing a few plants due to planter issues, not herbicide injury.

Look between the rows for weeds



Herbicide	Tricor DF		5
Active Ingredients	metribuzin		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	10.7 oz
Site of Action	Photosystem II Inhibitor		

This section contains treatment information



Treatment 1

Nontreated



Treatment 2

Herbicide	Pursuit		2
Active Ingredient	imazethapyr		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	4 fl oz
Site of Action	ALS Inhibitor		



Treatment 3

Herbicide	Classic		2
Active Ingredient	chlorimuron-ethyl		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	3 oz
Site of Action	ALS Inhibitor		



Treatment 4

Herbicide	FirstRate		2
Active Ingredients	cloransulam-methyl		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	0.6 oz
Site of Action	ALS Inhibitor		



Treatment 5

Herbicide	Tricor DF		5
Active Ingredients	metribuzin		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	10.7 oz
Site of Action	Photosystem II Inhibitor		

Preliminary data (August, 2018), not for publication. Always Read, Follow and Understand the Pesticide Label — The Label is the Law. Information presented does not constitute a recommendation or endorsement.



Herbicide	Spartan		14
Active Ingredients	sulfentrazone		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	8 fl oz
Site of Action	PPO Inhibitor		



Herbicide	Valor SX		14
Active Ingredients	flumioxazin		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	3 oz
Site of Action	PPO Inhibitor		



Herbicide	Sharpen		14
Active Ingredients	saflufenacil		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	1 fl oz
Site of Action	PPO Inhibitor		



Herbicide	Warrant		15
Active Ingredients	acetochlor		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	24 fl oz
Site of Action	Long-chain Fatty Acid Inhibitor		



Herbicide	Warrant		15
Active Ingredients	acetochlor		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	48 fl oz
Site of Action	Long-chain Fatty Acid Inhibitor		



Herbicide	Dual II Magnum		15
Active Ingredients	S-metolachlor		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	13.4 fl oz
Site of Action	Long-chain Fatty Acid Inhibitor		

Preliminary data (August, 2018), not for publication. Always read, Follow and Understand the Pesticide Label — The Label is the Law. Information presented does not constitute a recommendation or endorsement.



Herbicide	Dual II Magnum		15
Active Ingredients	S-metolachlor		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	26.7 fl oz
Site of Action	Long-chain Fatty Acid Inhibitor		



Herbicide	Outlook		15
Active Ingredients	dimethenamid-P		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	18 fl oz
Site of Action	Long-chain Fatty Acid Inhibitor		



Herbicide	Zidua		15
Active Ingredients	pyroxasulfone		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	3 oz
Site of Action	Long-chain Fatty Acid Inhibitor		



Herbicide	Outlook		15
Active Ingredients	dimethenamid-P		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	9 fl oz
Site of Action	Long-chain Fatty Acid Inhibitor		



Herbicide	Zidua		15
Active Ingredients	pyroxasulfone		
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	1.5 oz
Site of Action	Long-chain Fatty Acid Inhibitor		



Herbicide	Authority Assist		14	2
Active Ingredients	sulfentrazone + imazethapyr			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	10 fl oz	
Equivalent Tank Mix (ac ⁻¹)	8.3 fl oz Spartan + 3.3 fl oz Pursuit			
Site of Action	PPO Inhibitor		ALS Inhibitor	

Preliminary data (August, 2018), not for publication. Always Read, Follow and Understand the Pesticide Label — The Label is the Law. Information presented does not constitute a recommendation or endorsement.



Herbicide	Sonic		14	2
Active Ingredients	sulfentrazone + cloransulam-methyl			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	6.45 oz	
Equivalent Tank Mix (ac ⁻¹)	8 fl oz Spartan + 0.6 oz FirstRate			
Site of Action	PPO Inhibitor	ALS Inhibitor		



Herbicide	Valor XLT		14	2
Active Ingredients	flumioxazin + chlorimuron-ethyl			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	3 oz	
Equivalent Tank Mix (ac ⁻¹)	1.8 oz Valor SX + 1.24 oz Classic			
Site of Action	PPO Inhibitor	ALS Inhibitor		



Herbicide	Authority MTZ		5	14
Active Ingredients	metribuzin + sulfentrazone			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	12 oz	
Equivalent Tank Mix (ac ⁻¹)	4.35 oz Tricor DF + 4.35 fl oz Spartan			
Site of Action	Photosystem II Inhibitor	PPO Inhibitor		



Herbicide	Surveil		14	2
Active Ingredients	flumioxazin + cloransulam-methyl			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	3.5 oz	
Equivalent Tank Mix (ac ⁻¹)	2.5 oz Valor SX + 0.5 oz FirstRate			
Site of Action	PPO Inhibitor	ALS Inhibitor		



Herbicide	Broadaxe XC		15	14
Active Ingredients	S-metolachlor + sulfentrazone			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	25 fl oz	
Equivalent Tank Mix (ac ⁻¹)	20.6 fl oz Dual II Magnum + 4.4 fl oz Spartan			
Site of Action	Long-chain Fatty Acid Inhibitor	PPO Inhibitor		



Herbicide	Authority Supreme		14	15
Active Ingredients	sulfentrazone + pyroxasulfone			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	8 fl oz	
Equivalent Tank Mix (ac ⁻¹)	4.15 fl oz Spartan + 2.45 oz Zidua			
Site of Action	PPO Inhibitor	Long-chain Fatty Acid Inhibitor		

Preliminary data (August, 2018), not for publication. Always Read, Follow and Understand the Pesticide Label — The Label is the Law. Information presented does not constitute a recommendation or endorsement.



Herbicide	Verdict		15	14
Active Ingredients	dimethenamid-P + saflufenacil			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	5 fl oz	
Equivalent Tank Mix (ac ⁻¹)	4.15 fl oz Outlook + 1 fl oz Sharpen			
Site of Action	Long-chain Fatty Acid Inhibitor	PPO Inhibitor		



Herbicide	Fierce		14	15
Active Ingredients	flumioxazin + pyroxasulfone			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	3.75 oz	
Equivalent Tank Mix (ac ⁻¹)	2.6 oz Valor SX + 2 oz Zidua			
Site of Action	PPO Inhibitor	Long-chain Fatty Acid Inhibitor		



Herbicide	Canopy DF		5	2
Active Ingredients	metribuzin + chlorimuron-ethyl			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	2.25 oz	
Equivalent Tank Mix (ac ⁻¹)	1.95 oz Tricor DF + 1 oz Classic			
Site of Action	Photosystem II Inhibitor	ALS Inhibitor		



Herbicide	Prefix		15	14
Active Ingredients	S-metolachlor + fomesafen			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	32 fl oz	
Equivalent Tank Mix (ac ⁻¹)	18.2 fl oz Dual II Magnum + 16.2 fl oz Flexstar			
Site of Action	Long-chain Fatty Acid Inhibitor	PPO Inhibitor		



Herbicide	Boundary		15	5
Active Ingredients	S-metolachlor + metribuzin			
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	28.8 fl oz	
Equivalent Tank Mix (ac ⁻¹)	19.8 fl oz Dual II Magnum + 6 oz Tricor DF			
Site of Action	Long-chain Fatty Acid Inhibitor	Photosystem II Inhibitor		



Herbicide	Enlite		14	2	2
Active Ingredients	flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl				
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	2.8 oz		
Equivalent Tank Mix (ac ⁻¹)	2.0 oz Valor SX + 0.32 oz Classic + 0.05 oz Harmony				
Site of Action	PPO Inhibitor	ALS Inhibitor	ALS Inhibitor		

Preliminary data (August, 2018), not for publication. Always Read, Follow and Understand the Pesticide Label — The Label is the Law. Information presented does not constitute a recommendation or endorsement.



Herbicide	Afforia			14	2	2
Active Ingredients	flumioxazin + thifensulfuron-methyl + tribenuron-methyl					
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	2.5 oz			
Equivalent Tank Mix (ac ⁻¹)	2 oz Valor SX + 0.25 oz Harmony + 0.25 oz Express					
Site of Action	PPO Inhibitor	ALS Inhibitor	ALS Inhibitor			



Herbicide	Zidua PRO			2	14	15
Active Ingredients	imazethypr + pyroxasulfone + saflufenacil					
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	6 fl oz			
Equivalent Tank Mix (ac ⁻¹)	4 fl oz Pursuit + 2 oz Zidua + 1 oz Sharpen					
Site of Action	ALS Inhibitor	PPO Inhibitor	Long-chain Fatty Acid Inhibitor			



Herbicide	Fierce MTZ			5	14	15
Active Ingredients	metribuzin + flumioxazin + pyroxasulfone					
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	3 oz Fierce + 6 fl oz metribuzin			
Equivalent Tank Mix (ac ⁻¹)	6 fl oz metribuzin + 2 oz Valor + 1.5 oz Zidua					
Site of Action	Photosystem II Inhibitor	PPO Inhibitor	Long-chain Fatty Acid Inhibitor			



Herbicide	Trivence			5	14	2
Active Ingredients	metribuzin + flumioxazin + chlorimuron-ethyl					
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	6 oz			
Equivalent Tank Mix (ac ⁻¹)	3.56 oz Tricor DF + 1.5 oz Valor SX + 0.94 oz Classic					
Site of Action	Photosystem II Inhibitor	PPO Inhibitor	ALS Inhibitor			



Herbicide	Fierce XLT			14	15	2
Active Ingredients	flumioxazin + pyroxasulfone + chlorimuron-ethyl					
Application Timing/Date	PRE 5/25/18	Application Rate (ac ⁻¹)	4 oz			
Equivalent Tank Mix (ac ⁻¹)	1.9 oz Valor SX + 1.46 oz Zidua + 1 oz Classic					
Site of Action	PPO Inhibitor	Long-chain Fatty Acid Inhibitor	ALS Inhibitor			

Preliminary data (August, 2018), not for publication. Always Read, Follow and Understand the Pesticide Label — The Label is the Law. Information presented does not constitute a recommendation or endorsement.

Waterhemp plants were submitted to the University of Illinois Plant Clinic for molecular herbicide resistance screening. **The results confirmed glyphosate resistance.** PPO Inhibitor resistance was also screened for and not detected.

Note: This publication contains preliminary data from August 2018. Please contact Rodrigo Werle (rwerle@wisc.edu) of the UW-Madison, Department of Agronomy for information on final data.

This research is being partially funded by the **Wisconsin Soybean Marketing Board.**



The Nutrient and Pest Management (NPM) Program
 phone (608) 265-2660
 email (npm@hort.wisc.edu)
 or visit our website: ipcm.wisc.edu